

L Number	Hits	Search Text	DB	Time stamp
3	14	("0681163" "1552994" "1978853" "2824322" "2897525" "3814525" "4222142" "4674218" "4690824" "4858360" "4930240" "5056946" "5743040" "5775020").PN.	USPAT	2004/08/06 13:06
4	6	1552994.URPN.	USPAT	2004/08/06 13:07
5	576	(taper\$3 near thread\$3) same (flut\$3 groov\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 13:18
-	236	128/206.19.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 12:18
-	3	("3308816").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:28
-	5	3308816.URPN.	USPAT	2004/08/02 14:27
-	141	stylet near solid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:35
-	7300	rod near solid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:30
-	0	(rod near solid) same (taper\$2 near connector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:31
-	187	(rod near solid) same connector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:31
-	4	("0814318" "1816359" "3074155" "3621555").PN.	USPAT	2004/08/02 14:34
-	6	4171565.URPN.	USPAT	2004/08/02 14:34

BEST AVAILABLE COPY

-	828	stylet same connector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:36
-	813	(stylet same connector) not (stylet near solid)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 17:08
-	17	128/\$.ccls. and sheridan.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 17:45
-	2979	drill same tap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 17:46
-	1292	drill near tap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 17:46
-	40	(drill adj tap) same taper\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 17:46
-	1041	drill adj tap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 17:52
-	1001	(drill adj tap) not ((drill adj tap) same taper\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 17:52
-	12	("D046716" "D058502" "D245395" "0317970" "0319019" "1427556" "2335741" "2523041" "3136347" "3265343" "3355752" "4703677").PN.	USPAT	2004/08/02 18:31
-	4	5037251.URPN.	USPAT	2004/08/02 18:33
-	12	("D046716" "D058502" "D245395" "0317970" "0319019" "1427556" "2335741" "2523041" "3136347" "3265343" "3355752" "4703677").PN.	USPAT	2004/08/02 18:34

BEST AVAILABLE COPY

-	41	tapered adj tap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 14:56
-	60	tapered adj bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 14:59
-	2	("3945069").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 08:41
-	11	("0224921" "0425372" "0832076" "1111413" "1293432" "1345425" "1365338" "2029514" "2330099" "2787010" "3661471").PN.	USPAT	2004/08/03 17:15
-	7	1345425.URPN.	USPAT	2004/08/03 17:16
-	16	("0083371" "0568277" "0678814" "0899916" "1345425" "1408793" "1434870" "1539628" "1543007" "1963542" "2300310" "3346894" "4074950" "4271554" "5033919" "5379505").PN.	USPAT	2004/08/03 17:17
-	10	5562371.URPN.	USPAT	2004/08/03 17:19
-	7	3945069.URPN.	USPAT	2004/08/03 17:19
-	18	("0425372" "1293432" "1630602" "2029514" "2629113" "3072956" "3328834" "3661471" "3667857" "3913196" "3945069" "4107819" "4162558" "4285618" "D271206" "4619019" "D307020" "D379052").PN.	USPAT	2004/08/03 17:20
-	4	(("4863439") or ("5024220")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 09:59
-	654	606/80,83.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 18:47
-	4	("5122134" "5192283" "5374270" "5895389").PN.	USPAT	2004/08/04 10:09
-	8	("5190548" "5562673" "5573537" "5607431" "5667509" "5908423" "5941706" "5951561").PN.	USPAT	2004/08/04 10:11

BEST AVAILABLE COPY

-	26	("0931327" "2198666" "D149843" "2709600" "2919692" "3628524" "4187607" "4262676" "4838282" "4938743" "4967435" "4995872" "5086674" "5178267" "5368046" "D358645" "5423824" "5480166" "5494382" "5522398" "5575794" "5762639" "5910197" "5943924" "D439980" "D449691").PN.	USPAT	2004/08/04 10:14
-	9	("0569285" "4625725" "4706659" "4751922" "5122134" "5342365" "5376092" "5755719" "5759185").PN.	USPAT	2004/08/04 10:20
-	5	("2643443" "4124026" "4552136" "5041118" "5503506").PN.	USPAT	2004/08/04 10:33
-	9	("0026613" "0324763" "0770480" "3051205" "3824026" "4725171" "4751922" "4830000" "5562673").PN.	USPAT	2004/08/04 10:36
-	6	(("4938211") or ("6550479") or ("5086769")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 12:18
-	4	("2747384" "3367326" "3554192" "4541423").PN.	USPAT	2004/08/04 12:47
-	42	4751922.URPN.	USPAT	2004/08/05 18:29
-	8	("4507028" "4751922" "5006121" "5108405" "5190548" "5527316" "5562673" "5573537").PN.	USPAT	2004/08/05 12:44
-	3163	tap same flexible	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:44
-	20	tap same (flexible near shaft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:25
-	0	654248.URPN.	USPAT	2004/08/05 15:25
-	59	(flexible near shaft) same taper\$3 same thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:32
-	20	("0207932" "0761235" "1644919" "2173527" "2896629" "4445509" "4682981" "4762130" "4834724" "4950232" "4955859" "5009643" "5087252" "5129910" "5246441" "5246445" "5308354" "5334211" "5456685" "5672158").PN.	USPAT	2004/08/05 15:26

-	17	(flexible near rod) same taper\$3 same thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:32
-	0	(semi-rigid near rod) same taper\$3 same thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:32
-	0	(semi-rigid near shaft) same taper\$3 same thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:32
-	34	(solid near rod) same taper\$3 same thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:32
-	11	(solid near shaft) same taper\$3 same thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:39
-	25	("0126366" "2242003" "2278411" "2388482" "2526959" "2532296" "2570465" "3457573" "3554193" "4157677" "4175555" "4341206" "4383527" "4388921" "4414966" "4432358" "4450835" "4463753" "4537185" "4632100" "4640271" "4653489" "4743260" "4827917" "4840632").PN.	USPAT	2004/08/05 15:34
-	6	("2382019" "2489870" "2494229" "3915162" "4059102" "4175555").PN.	USPAT	2004/08/05 15:36
-	96	4463753.URPN.	USPAT	2004/08/05 15:36
-	4	(solid near tube) same taper\$3 same thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:43
-	0	(solid near probe) same taper\$3 same thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:43
-	3	(solid near wire) same taper\$3 same thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:43

BEST AVAILABLE COPY

-	144	tap near flexible	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:46
-	249	drill\$3 same tip same taper\$3 same (groove flute)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:54
-	2	("6422239").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:01
-	10312	taper\$ same thread\$3 same (groov\$3 flut\$3 channel\$3 passageway)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:05
-	3745	(taper\$ same thread\$3 same (groov\$3 flut\$3 channel\$3 passageway)) same (shaft rod wire probe pin bar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:06
-	117	((taper\$ same thread\$3 same (groov\$3 flut\$3 channel\$3 passageway)) same (shaft rod wire probe pin bar)) same solid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:08
-	13799	pipe same cleaner	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:09
-	1088	pipe near cleaner	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:20
-	852	411/378,418,392,426.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:31
-	422	606/79.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:32

-	162	606/\$.ccls. and awl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 18:02
-	8	("4507028" "4751922" "5006121" "5108405" "5190548" "5527316" "5562673" "5573537").PN.	USPAT	2004/08/05 18:04
-	1	4751922.PN.	USPAT	2004/08/05 18:29
-	4	("2747384" "3367326" "3554192" "4541423").PN.	USPAT	2004/08/05 18:29
-	2	("2747384" "2905178").PN.	USPAT	2004/08/05 18:30
-	46	3554192.URPN.	USPAT	2004/08/05 18:31
-	4	("2747384" "3367326" "3554192" "4541423").PN.	USPAT	2004/08/05 18:32
-	42	4751922.URPN.	USPAT	2004/08/05 18:32
-	22	606/80,83.ccls. and (solid near shaft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 18:53
-	118	solid adj stylet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 18:53
-	6296	solid adj rod	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 18:56
-	948	taper\$3 near connector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 19:10
-	94	taper\$3 near connect\$3 near thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 19:10
-	86	(taper\$3 near connect\$3 near thread\$3) not (taper\$3 near connector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 13:15

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.